






















Veleprodajni- Maloprodajni cenovnik
proizvoda za navodnjavanje
parkova

Važi od: 17. Februara 2024.
do promene cene


Šifra	Naziv artikala	j	PAK	MALA.P sa PDV	Razlika 23 / 24g	
Regulatori pritiska						
	IT-VRR2020151	Regulator pritiska 3/4" Hendrikson;0.8 BAR	Kom	1	1002	0,0%
	IT-VRR2020251	Regulator pritiska 3/4" 1,1.bar	Kom.	1	969	0,0%
	IVDG50000N13C	Regulator pritiska 3/4" 1,4 bar	Kom.	1	969	0,0%
	INMPMRMF200	Regulator pr Senninger 1" 1,4 bar (protok kroz reg 0,45-4,50 m3/h)	Kom.	1	1864	0,0%
	Protok kroz regulatora (min 3.66 l/min, max 30 l/min)					
	OMR-30	OmniReg regulator pritiska 0,35-2,1 bar	Kom	1	9905	0,0%
	OMR-100	OmniReg regulator pritiska 0,35-6,9 bar	Kom	1	9905	0,0%
	OMR-DS	OmniReg osetljivac	Kom	1	2619	0,0%
MAGNETNI VENTILI						
	EU-EPIC-0.75-C	E-pic mag. ventil 3/4" UNFC(protok min 20 l/min)	Kom		2608	0,0%
	EU-EPIC-1-C	E-pic mag. ventil 1" UNFC (protok min 20 l/min)	Kom		2626	0,0%
	2400MT	Richdel 2400 mag. ventil MT,1" UN	Kom		3585	0,0%
	2400MT-M	Richdel 2400 mag. ventil MT,1" SP	Kom		3585	0,0%
	2400MTF-M	Richdel 2400 mag. Ventil MTF,1" SPFC	Kom		4344	0,0%
	100236	Richdel 2400. diaphragma	Kom		1106	-7,8%
	100236	Richdel 2400 Matica sa navojem	Kom		423	-6,1%
	EU-VHE032103-1	Euro--M magnetni ventil 1 1/4" SP FC	Kom		6551	
	700B-75-50H	ULTRA FLOW 700 3/4" UN	Kom		3899	0,0%
	700B-75-LS	ULTRA FLOW 700 3/4" UN bez solenoida	Kom		2671	0,0%
	700-1-BSP-LS	ULTRA FLOW 700 magnetni ventil 1" UN bez solenoida	Kom		6456	0,0%
	216B-M	Richdel 216 magnetni ventil SP 1 1/2" FC	Kom		10570	0,0%
	217B-M	Richdel 217 magnetni ventil SP 2" FC	Kom		14781	0,0%
	R218401	POKLOPAC ZA MAGNETNI VENTIL 217B	Kom		2047	
	EU-VIS040	S-series magnetni ventil UN 1 1/2"	Kom		8670	0,0%
	EU-VIS050	S-series magnetni ventil UN 2"	Kom		12970	0,0%
	EU-VSP40-41	S-series 1 1/2" diaphragma	Kom		1427	0,0%
	588403	Solenoid za magnetne ventile 24V	Kom		2138	0,0%
Magnetni ventili 16 bara						
	100P1-LS-BSP	Century Plus magnetni ventil 1" UN,bez solenoid	Kom		8291	0,0%
	100P1.5-LS-BSP	Century Plus 1 1/2" UN,bez solenoid	Kom		15540	0,0%
	100P3-BSP	Century Plus 3" UN,sa solenoid	Kom		45228	0,0%
	R935001	Century Plus 100 3" Diaphragm Kit	Kom		6963	0,0%
Klemna						
	BVS-1	Klemna (0,5-1,5 mm2)	Kom		216	0,0%
	BVS-2	Klemna (0,5-3.5 mm2)	Kom		412	0,0%
Kišni senzori						

	CL-100W-EU	Climate Logic system,(komplet meteo stanicom sa prijemnikom za Kwik Dial,Rain Dial,Total Conrol)	Kom	24515	0,0%
	RS500	Irritrol kišni sensor-opseg 7,6 m. (Žični)	Kom	5567	0,0%
	GRAINCLIK	HUNTER KISNI SENZOR RAINCLIK	Kom	5999	0,0%
	RS1000-I	Wireless kišni sensor	Kom	17299	0,0%
	RFS1000-I	Wireless kišni i mrazni sensor	Kom	17777	0,0%
	SR-1	Relej za startovanje pumpe (monofazne)	Kom	12541	0,0%
		UPRAVLJAČKA AUTOMATIKA			
		Napajanje sa baterijom 3 x 1.5 V	Kom		
	IT-ETT	Novi Programator,baterijski		8935	0,0%


Bluetooth **Povezivanje / -Mobilnim telefonom -Napajanje sa baterijom DC (upravljanje elektro mag.ventilom)**


	LIFE-1-DC	Life DC kontr.1-zona ,bez solenoid (bluetooth,bez LCD	Kom	15238	0,0%
	LIFE-2-DC	Life DC kontr.2-zona ,bez solenoid (bluetooth,bez LCD	Kom	20824	0,0%
	LIFE-4-DC	Life DC kontr.4-zona, bez solenoid (bluetooth,bez LCD	Kom	24052	0,0%
	LIFE-6-DC	Life DC kontr.6-zona, bez solenoid (bluetooth,bez LCD	Kom	27603	0,0%
	DCL	Solenoid ZA JRDC 9V	Kom	3776	0,0%
	2400MT-DCL	Richdel 2400 mag. ventil 1" UN,sa DCL solenoidom	Kom	5556	0,0%
	2400MT-LS	Richdel 2400 mag. ventil 1" UN,bez solenoid	Kom	2522	0,0%

Wifi **LIVE Kontroler 24VAC (za upravljanjem mobilnim tel)**
APP Live Unutrašnji kontroler u kompletu


	LIFE-4	Live Unutrašnji kont, 4-zona (trafo 220 VAC)	Kom	15711	0,0%
	LIFE-6	Live Unutrašnji kont, 6-zona (trafo 220 VAC)	Kom	18750	0,0%
	LIFE-8	Live Unutrašnji kont, 8-zona (trafo 220 VAC)	Kom	23728	0,0%

APP Live Unutrašnji kont rastavljeno u modulima


	LIFE-WF	Life Wi-Fi Module (povezivanje preko mobil telefon)	Kom	13804	0,0%
	LIFE-B4	Life zadnji modul 4 zona (sa trafom 220 VAC)	Kom	4807	0,0%
	LIFE-B6	Life zadnji modul 6 zona (sa trafom 220 VAC)	Kom	6903	0,0%
	LIFE-B8	Life zadnji modul 8 zona (sa trafom 220 VAC)	Kom	11698	0,0%


	LIFE-MOD	Life programski modul (matični modul)	Kom	11943	0,0%
--	----------	--	-----	-------	------

NOVO **APP Live PLUS 24 VAC kontroler sa proširenjem sa modulima od 4 -16 zona**


	LIFE-P	Life Plus kont, 4 do 16 zona (trafom 220 VAC) komplet	Kom	24433	0,0%
--	--------	---	-----	-------	------


	LIFE-P-B	Life Plus zadnji modul 4 zona (trafom 220 VAC)	Kom	14820	0,0%
--	----------	--	-----	-------	------

	LIFE-P-SM	Life Plus, modul za proširenje 4 zona	Kom	7217	0,0%
--	-----------	---------------------------------------	-----	------	------

	IT-CDP1934-1	TRANSFORMATOR STANDARDNI 220/24V	Kom	2794	0,0%
--	--------------	----------------------------------	-----	------	------

Ostali Kontroleri 24 VAC

	GR M	Modul za Greenkeppera	Kom	3717	0,0%
--	------	-----------------------	-----	------	------

	KSR-KIT-K	Daljinski upravljač za Kwik Dial	Kom	7876	-22,2%
--	-----------	----------------------------------	-----	------	--------

	KSR-KIT	Daljinski up. za Kwik Dial NEW R. DIAL PLUS	Kom	10126	0,0%
--	---------	---	-----	-------	------

	IT-CDP1934-30VA	Transformator stand.220/24V	Kom	4750	8,5%
--	-----------------	-----------------------------	-----	------	------

Novo	RD6000-EX-50H	RAIN DIAL spolj., sa trafom, 6 zona	Kom	28634	0,0%
-------------	---------------	-------------------------------------	-----	-------	------

	RD900-EX-50H	RAIN DIAL spolj., sa trafom, 9 zona	Kom	36968	0,0%
--	--------------	-------------------------------------	-----	-------	------


	RD1200-EX-50H	RAIN DIAL spolj., sa trafom, 12 zona	Kom	45610	0,0%
--	---------------	--------------------------------------	-----	-------	------



Novo	RD600-INT-LT	RAIN DIAL unut., bez trafoa, 6 zona	Kom	22565	0,0%
-------------	--------------	-------------------------------------	-----	-------	------

	RD900-INT-LT	RAIN DIAL unut., bez trafoa, 9 zona	Kom	26886	0,0%
--	--------------	-------------------------------------	-----	-------	------

	RD1200-INT-LT	RAIN DIAL unut., bez trafoa, 12 zona	Kom	36008	0,0%
--	---------------	--------------------------------------	-----	-------	------


	RD9PLUS-LT	RAIN DIAL PLUS spolj., sa trafom, 9 zona	Kom	23607	0,0%
--	------------	--	-----	-------	------

	CITMR-8	MR-8 zona izmagljivač automatika sa trafoom (fertigacija)	Kom	19471	akcija
--	---------	---	-----	-------	--------


	TC-12EX-R-50H	Total Control kontroler sa traфом, 12 zona	Kom	61402	0,0%
	TC-15EX-R-50H	Total Control kontroler sa traфом, 15 zona	Kom	71685	0,0%
	TC-18EX-R-50H	Total Control kontroler sa traфом, 18 zona	Kom	85294	0,0%
	TC-24EX-R-50H	Total Control kontroler sa traфом, 24 zona	Kom	102679	0,0%

R-100-KIT-EU	Daljinski up. za Total Control	Kom	13337	0,0%
--------------	--------------------------------	-----	-------	------



"Modul " se koristi samo ako želimo već postojeći da menjamo za veću zonu

	TC-12MOD-R	Modul Total Control kontroler, 12 zona	Kom	41588	0,0%
	TC-15MOD-R	Modul Total Control kontroler, 15 zona	Kom	47919	0,0%
	TC-18MOD-R	Modul Total Control kontroler, 18 zona	Kom	53133	0,0%
	TC-24MOD-R	Modul Total Control kontroler, 24 zona	Kom	83920	0,0%
	R676001	PCB ploča TC 18	Kom	5436	0,0%
	IT-CDP193430VA	Tras TC 12-15-18 (transformator)	Kom	4377	0,0%
	R8969	Ključ za vrata TC 12-15-18	Kom	892	0,0%
	R671101	Ključ za vrata TC 24	Kom	886	0,0%
	R107001	Štampana ploča TC 24	Kom	25065	0,0%
	363-1578	Oigurač 2 Amh- 250V	Kom	140	0,0%

ICOD PLUS dva žični decoder sistem



	T-ICODPLUS	Icod Plus 16 stanica (Proširivo do 48 stanice)	Kom	150592	0,0%
	IT-ICODEXP8PLUS	Icod Plus 8 stanice ,(unutrašnji modul proširenja sa setom kabela za 8 stanica)	Kom	16949	0,0%
	IT-IDECODPLUS	Dekoder 1 stanični (mag, ventila) na stanju	Kom	18647	-12,5%
	IT-IDECODPLUS-L	Dekoder polja za resetovanje mag ventila	Kom	20620	0,0%
	IT-IDECODPLUS2	Dekoder 2 stanični (mag, ventila)	Kom	33373	0,0%
	IT-IDECODPLUS4	Dekoder 4 stanični (mag, ventila)	Kom	63575	0,0%
	IT-IDECODPLUS6	Dekoder 6 stanični (mag, ventila)	Kom	89246	0,0%
	IT-IDECODP	Dekoder pokretanja pumpe	Kom	20620	0,0%
	T-IDECODM	Glavni dekodeventila		20620	0,0%

Statički rasprskivači

	I-PRO300	I-Pro 3", 7,5 cm Telo	Kom	463	0,0%
	I-PRO400	I-Pro 4", 10 cm Telo	Kom	490	0,0%
	I-PRO400-CV	I-Pro CV 4", 10 cm Telo (Nepovratnim ventilom)	Kom	654	0,0%
	I-PRO400-PR	I-Pro PR 4", 10 cm Telo (Regul.pritiska)	Kom	909	0,0%
	I-PRO600	I-Pro 6", 15 cm Telo	Kom	1096	0,0%
	I-PRO600-CV	I-Pro CV 6", 15 cm Telo (Nepovratnim ventilom)	Kom	1281	0,0%
	I-PRO600-PR-CV	I-Pro PRCV 6", 15 cm Telo (Regul.pritiska i Nepovr.v)	Kom	1704	0,0%
	I-PRO1200-SI	I-Pro 12", 30 cm Telo (i sa bočnim ulazom)	Kom	2217	0,0%
	I-PRO1200-SI-CV	I-Pro CV 12", 30 cm Telo (Nepovratnim ventilom)	Kom	2478	0,0%
	SLP400	SL 4", 10 cm Telo	Kom	388	0,0%
	SLP600	SL 6", 15 cm Telo	Kom	1172	0,0%
	SLP410	SL 10 Pro-Van -10cm ,3.m ,0-360° (sa diznama)	Kom	553	0,0%
	SLP412	SL 12 Pro-Van -10cm ,3.6 m ,0-360°(sa diznama)	Kom	553	0,0%
	SLP415	SL 15 Pro-Van -10cm ,4.5 m ,0-360°(sa diznama)	Kom	553	0,0%
	SLP417	SL 17 Pro-Van -10cm ,5,2 m ,0-360°(sa diznama)	Kom	553	0,0%
	SL-CV	Nepovratni ventil za LPS-a	Kom	247	0,0%

Dizne za I-Pro i SL rasprskivače

MP ROTATOR Dizne

	IPN-R360	Irritrol Rotator 360	Kom	1307	0,0%
	IPN-RADJ	Irritrol Rotator 45-270	Kom	1307	0,0%
	IPN-RTOOL	Ključ za IR Diznu	Kom	69	0,0%
	IGMP800SR90	MP 800-90-210 (dijametar 3M)	Kom	1766	0,0%
	IGMP800SR360	MP 800-360 (3M)	Kom	1766	0,0%
	IT-MP1000-90-210	MP R1000-90°-210°(4m)	Kom	1766	0,0%
	IT-MP1000-210-270	MP R1000-210°-270°(4m)	Kom	1766	0,0%
	IT-MP1000-360	MP R1000-360°(4m)	Kom	1766	0,0%
	IT-MP2000-90-210	MP R 2000-90°-210°(6m)	Kom	1766	0,0%
	IT-MP2000-210-270	MP R 2000-210°-270°(6m)	Kom	1766	0,0%
	IT-MP2000-360	MP R 2000-360°(6m)	Kom	1766	0,0%
	IT-MP3000-90-210	MP R3000-90-210 (9m)	Kom	1766	0,0%
	IT-MP3000-210-270	MP R 3000-210-270 (9m)	Kom	1766	0,0%
	IT-MP3000-360	MP R 3000-360 (9m)	Kom	1766	0,0%
	IT-MP CORNER 45-1	MP CORNER 45-105 (bočni)	Kom	1766	0,0%

IGMP350090	MP3500-90-210 (diametar 10,5M)	Kom	1766	0,0%
IGMPLCSS15	MP Levi ugao 4,5 x 1,5m	Kom	1766	0,0%
IGMPRCSS15	MP Desni ugao 4,5 x 1,5m	Kom	1766	0,0%
IGMPSS530	MP 530 9m x 1,5m	Kom	1766	0,0%

Dizne sa podešanim uglom za I-Pro i SI rasprskivače

IPN-5F	Dizna I-Pro 5 1,3-1,8 m r 360 (crvena)	Kom	281	0,0%
IPN-5H	Dizna I-Pro 5 ; 1,3-1,8 m r 180(crvena)	Kom	281	0,0%
IPN-5Q	Dizna I-Pro 5 ; 1,3-1,8 m r 90 (crvena)	Kom	281	0,0%
IPN-5T	Dizna I-Pro 5 ; 1,3-1,8 m r 120 (crvena)	Kom	281	0,0%

IPN-8F	Dizna I-Pro 8 2,2 - 2,7 m r 360 (zelena)	Kom	281	0,0%
IPN-8H	Dizna I-Pro 8 2,2 - 2,7 m r 180(zelena)	Kom	281	0,0%
IPN-8T	Dizna I-Pro 8 2,2 - 2,7 m r 120(zelena)	Kom	281	0,0%
IPN-8Q	Dizna I-Pro 8 2,2 - 2,7 m r 90 (zelena)	Kom	281	0,0%

IPN-10F	Dizna I-Pro 10 2,8 - 3,7 m r 360 (plava)	Kom	281	0,0%
IPN-10H	Dizna I-Pro 10 2,8 - 3,7 m r 180(plava)	Kom	281	0,0%
IPN-10T	Dizna I-Pro 10 2,8 - 3,7 m r 120(plava)	Kom	281	0,0%
IPN-10Q	Dizna I-Pro 10 2,8 - 3,7 m r 90 (plava)	Kom	281	0,0%

IPN-12F	Dizna I-Pro 12 3,4 - 4,3 m r 360 (braon)	Kom	281	0,0%
IPN-12TQ	Dizna I-Pro 12 3,4 - 4,3 m r 270 (braon)	Kom	281	0,0%
IPN-12TT	Dizna I-Pro 12 3,4 - 4,3 m r 240 (braon)	Kom	281	0,0%
IPN-12H	Dizna I-Pro 12 3,4 - 4,3 m r 180 (braon)	Kom	281	0,0%
IPN-12T	Dizna I-Pro 12 3,4 - 4,3 m r 120 (braon)	Kom	281	0,0%
IPN-12Q	Dizna I-Pro 12 3,4 - 4,3 m r 90 (braon)	Kom	281	0,0%

IPN-15F	Dizna I-Pro 15 4,3 - 4,9 m r 360 (crna)	Kom	281	0,0%
IPN-15TQ	Dizna I-Pro 15 4,3 - 4,9 m r 270 (crna)	Kom	281	0,0%
IPN-15TT	Dizna I-Pro 15 4,3 - 4,9 m r 240 (crna)	Kom	281	0,0%
IPN-15H	Dizna I-Pro 15 4,3 - 4,9 m r 180 (crna)	Kom	281	0,0%
IPN-15T	Dizna I-Pro 15 4,3 - 4,9 m r 120 (crna)	Kom	281	0,0%
IPN-15Q	Dizna I-Pro 15 4,3 - 4,9 m r 90(crna)	Kom	281	0,0%
HSN-15T	Series 15 T, Spray Pattern 120°	Kom	281	0,0%

EU-SHW401-2N	Bubbler 1/2"un dizna raspr.(8 do 22,5 l/min @ 1,5 do 5 Bar)	Kom	87	0,0%
--------------	---	-----	----	------

Fiksne Dizne za I-Pro i SI rasprskivače

LCS4X9	Dizna za Spray ras.Levi ugaoni 1,2 x 2,7 m	Kom	263	0,0%
IPN-15SST	Dizna za Spray ras.bočni 1,2 x 9,0 m	Kom	263	0,0%
IPN-15CST	Dizna za Spray ras.centralni 1,2 x 9,0 m	Kom	263	0,0%
IPN-15EST	Dizna za Spray ras.krajnji 1,2 x 4,6 m	Kom	263	0,0%
IPN-9SST	Dizna za Spray ras.bočni 1,2 x 5,5 m	Kom	254	0,0%
IPN-9CST	Dizna za Spray ras.centralni 1,2 x 5,5 m	Kom	254	0,0%
IPN-9EST	Dizna za Spray ras.krajnji 1,2 x 2,7 m	Kom	254	0,0%

Podešavajuće Dizne za I-Pro i SI rasprskivače



















PRO-VAN8	Dizna Pro-Van 8, 0-360°, Radius 2,1 - 2,4 m (braon)	Kom	273	0,0%
PRO-VAN10	Dizna Pro-Van 10, 0-360°, Radius 2,7 - 3,0 m (crvena)	Kom	273	0,0%
PRO-VAN12	Dizna Pro-Van 12, 0-360°, Radius 3,0 - 3,7 m (Zelena)	Kom	273	0,0%
PRO-VAN15	Dizna Pro-Van 15, 0-360°, Radius 4,1 - 4,6 m (crna)	Kom	273	0,0%
PRO-VAN17	Dizna Pro-Van 17, 0-360°, Radius 4,3 - 5,1 m (siva)	Kom	273	0,0%











































ROTIRAJUĆI RASPRSKIVAČI
























430R	430R Rotor 1/2"unn , 4"	Kom	2270	0,0%
550R-SC	550R-SC Rotor, 3/4" unn, 5" 12,5 cm	Kom	2852	0,0%
550R-SS-SC	550R-SS SC Rotor, 3/4" unn, 5" 12,5 cm (metalnom glavom)	Kom	5628	0,0%
102-7714	Nepovratni ventil za 550R i SC Rotor-a	Kom	301	0,0%
CR500	CR500 MPR Rasp , 12 cm, 25° 8,5-15,3 m, 40-360°	Kom	2664	0,0%
102-2024	Ključ za CR500	Kom	278	0,0%
102-2028	Standardno pakovanje dizni 15° za CR500	Kom	299	0,0%
Titan	Titan-Impact Rotor	Kom	3195	0,0%

Podešavajuće Dizne za Toro 570Z rasprskivače

NOVO TVAN8	Dizna Tvan 8, 30-360°, Radius 2,1 - 2,4 m (braon)	Kom	420	0,0%
---------------	---	-----	-----	------

	TVAN10	Dizna Tvan 10, 30-360°, Radius 2,7 - 3,0 m (crvena)	Kom	420	0,0%
	TVAN12	Dizna Tvan 12, 30-360°, Radius 3,0 - 3,7 m (Zelena)	Kom	420	0,0%
	TVAN15	Dizna Tvan 15, 30-360°, Radius 4,1 - 4,6 m (crna)	Kom	420	0,0%
	TVAN17	Dizna Tvan 17, 30-360°, Radius 4,3 - 5,2 m (siva)	Kom	420	0,0%
	35-8911	S700 PC.Raspj, 40-330stepen, 7,5cm	Kom	2473	0,0%
	35-8910	S700 F .Raspj, 360stepen,, 7,5cm	Kom	2473	0,0%
	89-0893L	S700-1,5 25 stepen -Dizna	Kom	153	0,0%
	89-0894L	S700-2,0 25 stepen -Dizna	Kom	153	0,0%
	89-0895L	S700-3,0 25 stepen -Dizna	Kom	153	0,0%
	89-0896L	S700-4,5 25 stepen -Dizna	Kom	153	0,0%
	89-0266	Nepovratni ventil za S700	Kom	469	0,0%
ROTIRAJUCI RASPRSKIVACI - Za Sportskih terena velikih dometa					
	PTSPORT-BSP	Platinum Sport Rotor 1"	Kom	7238	0,0%
	PTSPORT-BSP-SS	Platinum Sport Rotor SS 1" (metalnom glavom).	Kom	12598	0,0%
	SGS105-FGV	Rasprskivač Geardriven 11/2"360° (sa Ventilom u glavi i veštačkom travom)	Kom	48073	0,0%
	SGS103	Rasprskivač Geardriven 11/2" 30°-330° (sa Ventilom u glavi i veštačkom travom)	Kom	56563	0,0%
	SGS103-PZ	Rasprskivač Geardriven 11/2" 360° dizna 10mm (sa zubčanikom i otvorom za grudve)	Kom	42340	0,0%
	RBE214678	Dizna za rasprskivač SGS 13mm	Kom	653	0,0%
	SPS178	Piston RASPRSKIVAC (klipni rasprskivač sa veštačkom travom)	Kom	285572	0,0%
Rotokap Traktor					
	WT118	Rotokap samohodni	Kom	207541	0,0%
Podzemne kapajući cevi za navodnjavanje RootGuard					
	INRX48201	RAIN BIRD Rotg 16mm 33cm 2,3L/h 100m	m 100	21528	0,0%
	MCRG-212	4 x 6 mm Micro-Dripline RootGuard, 2 l/h,30cm ,30 m	Kom 30	2722	0,0%
	SDS252-12-100	4 x 6 mm Micro-Dripline , 2 l/h,30 cm ,30 m	Kom	1790	0,0%
	IE8352000N050	Rebrasto koleno za micro cevi 6,8X5	Kom	18	0,0%
IRRITEC -kpk crevo za ravne terene					
	FAJA440332E	Junior 16 mm Ø /33cm- 2.1l/h 50m (deb zida 1,1mm)	m 50	35	0%
	FAJA440332F	Junior 16 mm Ø /33cm- 2.1l/h 100m (debl zida 1,1mm)	m 100	32	0,0%
	FAJA350332M	Junior 16 mm Ø /33cm- 2.1l/h 400m,(deb zida 0,9mm)	m 400	26	0,0%
TORO-kpk crevo za ravne terene					
NOVO	EHCLB162-33-400	DRIPLINE CLASIC Braon 16mm 2LH 33cm 400m	m 400	36	0,0%
NOVO	EHCLB162-33-100	DRIPLINE CLASIC Braon 16mm 2LH 33cm 100m	m 100	42	0,0%
TORO-kpk PC crevo za neravne terene					
NOVO	EHPCB162-33-50	DRIPLINE PC Braon 16mm 2LH 33cm 50m	m 50	50	0,0%
NOVO	EHPCB162-33-100	DRIPLINE PC Braon 16mm 2LH 33cm 100m	m 100	49	0,0%
NOVO	EHPCB162-33-400	DRIPLINE PC Braon 16mm 2LH 33cm 400m	m 400	43	0,0%
Raster za travu-					
	GSGRAB1	Raster za travu Zeleni (39,5 x 39,5 x 4- (200 ton/m²)	Kom	824	0,0%
	CRASTER	Raster za travu crni (33 x 33 x 4 (pešačku zonu 9 kom/m2)	Kom 85	310	0,0%
VENTIL SPOJNICE i Hidranti					
	IG40720M0N320	Ventil razdelnik (O - prstenom)	Kom	75	0,0%
	IG41960M0N32C	Reducir nipla za magnetne ventile1" x 3/4" (O-prsteni)	Kom	84	0,0%
	IG42520D0N32C	Spojnic sa holender 25 x 1"	Kom	209	0,0%
	IG42520D0N32D	Spojnic sa holender 32 x 1"	Kom	240	0,0%
	IG42820D0N32D	Lakat sa holender 1x32	Kom	301	0,0%
	IG42420D0N320	Holender US 1"	Kom	126	0,0%
	IG42420D0V500	Holender US 11/2"	Kom	448	0,0%
	IG42420D0V630	Holender US 2"	Kom	693	0,0%
	IG42620F0N320	Holender lakat UU 1"	Kom	196	0,0%

	IG42720D0N320	Holender lakat 1" SP	Kom	178	0,0%
	IG42720D0V500	Holender lakat 1 1/2" SP	Kom	584	0,0%
	IG42720D0V630	Holender lakat 2" SP	Kom	913	0,0%
	IT-FPE9220	Holender lakat 1" SP Toro	Kom	263	0,0%
	EU-FMV020-1	T-razdelnik SSU 1x3/4x1	Kom	212	0,0%
	EU-FMV025-1	T-razdelnik SSU 1x1x1	Kom	212	0,0%
	IT-FPT9224	Holender Toro T 1" UUU	Kom	446	0,0%
	IT-FPT9260	Holender Toro T 1" SUU		412	0,0%
	IG43120D0N320	Holender T 1" SUU	Kom	236	0,0%
	IG43120D0V500	Holender T 1 1/2" SUU	Kom	794	0,0%
	IG43120D0V630	Holender T 2"SUU	Kom	1144	0,0%
	IG43220D0N320	Holander T 1" SSU	Kom	184	0,0%
	IG43360D0N320	Krstak sa holanderom 1" SUUU	Kom	670	0,0%
	IG43610D0N320	Holender razdelnik 4 /US 1"	Kom	2305	0,0%
	IG43510D0N320	Holender razdelnik 3 /US 1"	Kom	1768	0,0%
	OHOOR2940450A	Rezervna guma za Holendere 1"	Kom	8	0,0%
	IT-TPR1520	Hidrant 1/2" x 3/4"	Kom	66	0,0%
	IT-TPR2020-1	Hidrant 3/4" x 3/4"	Kom	73	0,0%
	IGPRS70M0N25D	Hidrant 3/4" x 1"	Kom	71	0,0%
		Ubodnice			
	IIPDL2000N160	Ubodnica za kap po kap 16	Kom	21	0,0%
	IIPDL2000N200	Ubodnica za kap po kap 20	Kom	21	0,0%
		ALATI I DODACI			
	9200.0712	TEFLON MALI	Kom	46	0,0%
	9200.2015	TEFLON VELIKI	Kom	314	0,0%
	MA0101-010-2BT	PVC DURA T SA 2 HOLD.	Kom	1277	0,0%
	MA0101-010-3BT	PVC DURA T SA 3 HOLD.	Kom	1813	0,0%
	MA0101-010-4BT	PVC DURA T SA 4 HOLD.	Kom	2403	0,0%
	1301-010	Lasco T 1" SUU	Kom	1702	0,0%
	1301-210	Lasco T SA 2 HOLENDERA	Kom	2946	0,0%
	1303-010	Lasco T 1" SSU	Kom	1346	0,0%
	1306-010	Lasco lakat 1" SP	Kom	1511	0,0%
		KONEKTORI ZA VODU			
	IVCHS20M0N250	Ključ za konektor 3/4,1	Kom	297	0,0%
	IVIDS20M0V025	Osnova za vodeni konektor 3/4	Kom	724	0,0%
	IVIDSM0V032	Osnova za vodeni konektor 1	Kom	724	0,0%
	CS122	P. OSNOVA ZA VODENI KONEKTOR + KLUČ 3/4	Kom	1083	0,0%
		ŠAHTOVI ZA VENTILE			
	EU-HCS	Mini Šaht -1 Mg.v.	Kom	639	0,0%
	EU-HCM	Large Šaht -2 Mg.v.	Kom	1145	17,0%
	EU-HRS	Standard Šaht - 4 Mg.v.	Kom	3091	9,0%
	EU-HRJ	Jumbo Šaht - 6 Mg.v.	Kom	5481	8,6%
	EU-HCSL	POKLOPAC ZA Mini Šaht - 1 Mg.v.	Kom	304	0,0%
	EU-HCML	POKLOPAC ZA LARGE Šaht - 2 Mg.v.	Kom	496	0,0%
	EU-HRSLM	POKLOPAC ZA Standard Šaht - 4 Mg.v.	Kom	1754	0,0%
	EU-HRJLM	POKLOPAC ZA JUMBO Šaht - 6 Mg.v.	Kom	3087	0,0%
	73010	Poelsan Standard Šaht 10"- 2 Mg.v.	Kom	1182	0,0%
	73012	Poelsan Standard Šaht - 4 Mg.v.	Kom	3005	0,0%
	73014	Poelsan Jumbo Šaht - 6 Mg.v.	Kom	4288	0,0%
	IGMCZ2000N04R	Irritec Standard Šaht - 4 Mg.v.	Kom	2690	0,0%
	IGMCZ2000N06R	Irritec Jumbo Šaht - 6 Mg.v.	Kom	4511	0,0%
	IGEST2000N04R	Standard - uvećavajući zaštitnik - H 165mm	Kom	2563	0,0%
	IGEST2000N06R	Jumbo - uvećavajući zaštitnik - H 165mm	Kom	3702	0,0%

	IGPVM2S00V0CC	Šaht sa metal slavinom 3/4	Kom	2664	0,0%
	9605.2015A	Šaht sa podešavajućim metal slavinom 3/4	Kom	2969	0,0%
Specialne obujnice (uvrtanjem (deo obujnice) izbuši PE cev					
	BS2550	25mm cev – 1/2" žuta obujnica	Kom	374	0,0%
	BS2575	25mm cev – 3/4" žuta obujnica	Kom	374	0,0%
	BS2590	25mm cev – 3/8" žuta obujnica (SPIRAL)	Kom	400	0,0%
	BS3350	33mm cev - 1/2" žuta obujnica	Kom	374	0,0%
	BS3390	33mm cev – 3/8" žuta obujnica (SPIRAL)	Kom	400	0,0%
	BS4075	40mm cev – 3/4" žuta obujnica	Kom	459	0,0%
	BS4090	40mm cev – 3/8" žuta obujnica (SPIRAL)	Kom	518	0,0%
BLUE FLEX VEZNI ELEMENTI I KLJEŠTA ZA POP- AP					
	3100-005	T 1/2" Blue Fex	Kom	141	0,0%
	3201-004	Nastavak Blue Fex Hose 16mm	Kom	106	0,0%
	3300-005	Rebrasti Blue Fex lakat 1/2	Kom	105	0,0%
	3300-007	Rebrasti Blue Fex lakat 3/4	Kom	105	0,0%
	IGGFP6000N20B	Rebrasti lakat sp 16X1/2	Kom	41	0,0%
	IGGFP6000N20C	Rebrasti lakat sp 16X3/4	Kom	41	0,0%
	IT-FEM1515	Lakat 1/2" Blue Fex Hose	Kom	173	0,0%
	IT-FEM2015	Lakat 3/4" Blue Fex Hose	Kom	173	0,0%
	RC1000	Klješta za PE cev (do 1 1/4")	Kom	1648	0,0%
	EHR1295-010-D	Blue Fex Hose cev 16mm (1m)	met	188	0,0%
	FTD00C00J	Blue Fex Hose cev 20mm (1m)	met	230	0,0%
	IGGPP30M0N25C	Lakat 20x3/4" Blue Fex Hose	Kom	127	0,0%
NEPOVRATNI VENTILI-USISNI- ISPUSNI					
	IVSUP2AM0N250	Kinetički vazdušni ispusni ventil SA ZAŠTITOM 3/4"	Kom	969	0,0%
	IVSUF2AM0N250	Kinetički vazdušni ispusni ventil 3/4"	Kom	942	0,0%
	IVSUP2AM0N320	Kinetički vazdušni ispusni ventil SA ZAŠT 1"	Kom	942	0,0%
	ARV-1-K	Kinetički vazdušni ispusni ventil 1"	Kom	2530	0,0%
	ARV-1-A	Autom. vazdušni ispusni ventil 1"	Kom	3549	0,0%
	IT-VHCV015	Hunter nepovratni ventil 1/2	Kom	2011	0,0%
	IT-VHCV020	Hunter nepovratni ventil 3/4	Kom	2011	0,0%
	22163-EU	AUT.GLAV.ISP.VENTIL 1/2" (montiranje prema zemlji 45°)	Kom	743	-6,7%
	23167-EU	AUT.GLAV.ISP.VENTIL 3/4 (montiranje prema zemlji 45°)	Kom	965	-6,7%
	IT-VAD0150	Automatski ispusni ventil 1/2" (metalni)	Kom	1231	0,0%

FITINZI-SPOJNICE (U cenovniku opreme za navodnjavanje parkova)